



Shaping the Future

40 Strafello Drive, Unit G, Avon, MA 02322

Phone: (508) 588-0886 Fax: (508) 588-2414

PROJECT:

DATE:

CLIENT:

ATC PROJECT No.

Union Street Holbrook, MA

February 28, 2013

Howard /Stein-Hudson Associates, Inc..

025.37074.0007

WEATHER:

ATC INSPECTOR:

LOG PREPARED BY:

Cloudy / 30's

D. Madsen & T. Farley

A. Rodrigues

Depth (in)	Test Hole 1	Test Hole 2	Test Hole 3	Test Hole 4	Depth (in)
0	Hot Mix Asphalt 5"	Hot Mix Asphalt 4 3/4"	Hot Mix Asphalt 5 1/2"	Hot Mix Asphalt 2 5/8"	0
6	Macadam Base 5" - 9"	Macadam Base 4 3/4" - 7"	Macadam Base 5 1/2" - 9"	Macadam Base 2 5/8" - 6"	6
12	1a Sandy Gravel 9" - 26"	2a Gravel with Silt 7" - 15"	3a Gravel 9" - 20"		12
18				4a Gravel 6" - 36"	18
24	1b Silty Sand with Gravel 26" - 36"	2b Silty Sand with Gravel 15" - 36"	3b Sandy Gravel 20" - 36"		24
30					30
36	Limits at 36"	Limits at 36"	Limits at 36"	Limits at 36"	36
42					42

Remarks: