General Information								
Weather conditions during inspection	57ºF, s	sunny	Inspection	9:00AM	Inspection end	9:45 AM		
Inspector Name, Title Contact Information		Chanler Florian, Environmenta cflorian@beta-inc.com	•	p, Inc.) 3297045				
Phase 1. NOTE: The access ro Present Phase of Construction However, the entirety of the S		Phase 1. NOTE: The access roa	id and stabilized construction entrance has been established pursuant to the Phase 1 scope of work. te has been cleared of trees. No grubbing/stumping has occurred other than that required to					
Inspection Location		North Sturbridge Road Solar Fa	cility – Entirety of Site (0 North Sturbridge Road, Charlton, MA 01507)					
Inspection Frequency Standard Frequency Every 7 days		L u may be subject to different inspec	ction frequencies in diffe	erent areas of the site. Check	all that apply)			
🛛 Every 14 days a	and within 2	24 hours of a 0.25" rain or the oc	currence of runoff fro	m snowmelt sufficient to ca	ause a discharge			
Increased Frequenc Every 7 days or Tier 3)	5	24 hours of a 0.25" rain (for area	as of sites discharging	to sediment or nutrient-im	paired waters or to wate	ers designated as Tier 2, Tier 2.!		
Reduced Frequency	<b>'</b> :							
Twice during first	month, nc	more than 14 calendar days a	part; then once per n	nonth after first month; (for	stabilized areas)			
		more than 14 calendar days a				on "linear construction sites")		
Once per mont	n and withi	n 24 hours of a 0.25" rain (for ari	d, semi-arid, or droug	ht-stricken areas during se	asonally dry periods or c	luring drought)		
Once per mont	n (for frozei	n conditions where earth-disturb	ing activities are beir	ng conducted)				
		y a 0.25" storm event? 🛛 Yes						
		ned whether a 0.25" storm even						
🗌 Rain gauge	on site	Weather station represent	ative of site. Specify v	veather station source: W	orcester Regional Airpor	t		
Total rainfall amo	ount that tri	ggered the inspection (inches):	0.25″					
Was this inspection triggered by the occurrence of runoff from snowmelt sufficient to cause a discharge? $\Box$ Yes $\boxtimes$ No								
	20	-						

Unsafe Conditions for Inspection

Did you determine that any portion of your site was unsafe for inspection per CGP Part 4.1.5? Yes No

If "yes", complete the following:

- Describe the conditions that prevented you from conducting the inspection in this location: N/A
- Location where conditions were found: N/A

	Condition and Effectiveness of Erosion and Sediment (E&S) Controls (CGP Part 2.2)					
Type/Location of E&S Control	Maintenance Needed?*					
1. Silt Fence and Straw Wattles	No	No	1/28/ 2022	On 1/28/2022 Supreme repaired previously reported dam- age to silt fence and wattles at the Site.		
			2/2/ 2022	On 2/2/2022 BETA verified the repairs made by Supreme to be adequate with the specification.		
2. Stabilized Construction Entrance (Site Entrance – Access Road)	No	No	3/15/ 2022	On 3/15/2022 BETA observed torn silt fence in multiple areas along the perimeter of the Site. No discharge was observed. All of the wattles remain within specification.		
3. Stump and Soil Stockpile Area	No	No				
4. Dust Controls	N/A	N/A				
<ol> <li>Jute Mesh (Steep Slopes)</li> <li>Temporary Seeding</li> </ol>	N/A	N/A				
		No				

· · · · · · · · · · · · · · · · · · ·								
<ol> <li>Topsoil Re-Use</li> <li>Storm Drain Inlets         <ul> <li>(North Brookfield Road)</li> </ul> </li> <li>Temporary Drainage Swall             (Throughout Site)</li> <li>Temporary Sediment Basin             (Throughout Site)</li> </ol>		N/A N/A N/A		N/A N/A N/A				
		Condit	ion and	Effectiv	eness o	of Pollution P	reventio	on (P2) Practices (CGP Part 2.3)
Type/Location of P2 Practices [insert additional rows if applicable]	Maintena Needed	ance	Correct Action Require	tive	Date o Mainte Correc	n Which mance or tive Action entified?	Notes	
1. Equipment Refueling	□Yes [	⊠No	□Yes	⊠No	[Enter	date]		
Staging Area								
	□Yes [	⊠No	□Yes	⊠No	[Enter	date]		
2. Hydraulic Lines								
Staging/Work Areas	□Yes [	⊠No	□Yes	⊠No	[Enter	date]		
3. Equipment Maintenance								
Charling Are -	□Yes [	⊠No	□Yes	⊠No	[Enter	date]		
Staging Area								
4. Sanitary Toilets	□Yes [	⊠No	□Yes	⊠No	[Enter	date]		
Staging Area								
5. Vehicle Accident	Yes [	⊠No	□Yes	⊠No	[Enter	date]		
Entire Site	. 🗆 Yes 🛛	⊠No	. 🗆 Yes	⊠No	[Enter	date]		

#### Inspection Report for North Sturbridge Road Solar Facility NPDES ID No.: MAR10031G Inspection Date: 03/15/2022

Staging/Work Areas				
8. Concrete Washout	□Yes⊠No	□Yes⊠No	[Enter date]	

\* Note: The permit differentiates between conditions requiring routine maintenance, and those requiring corrective action. The permit requires maintenance in order to keep controls in effective operating condition. Corrective actions are triggered only for specific conditions, which include: 1) A stormwater control needs repair or replacement (beyond routine maintenance) if it is not operating as intended; 2) A stormwater control necessary to comply with the permit was never installed or was installed incorrectly; 3) You become aware that the stormwater controls you have installed and are maintaining are not effective enough for the discharge to meet applicable water quality standards or applicable requirements in Part 3.1; 4) One of the prohibited discharges in Part 1.3 is occurring or has occurred; or 5) EPA requires corrective actions as a result of a permit violation found during an inspection carried out under Part 4.8. If a condition on your site requires a corrective action, you must also fill out a corrective action form found at <a href="https://www.epa.gov/npdes/stormwater-discharges-construction-activities#resources">https://www.epa.gov/npdes/stormwater-discharges-construction-activities#resources</a>. See Part 5 of the permit for more information.

Stabilization of Exposed Soil (CGP Part 2.2.14)						
Stabilization Area [insert additional rows if applicable]	Stabilization Method	Have You Initiated Stabilization?	Notes			
1. Earthen access road leading to stockpile area	Straw mulch or hydroseed	⊠Yes 7/30/2021 □No	The stockpile area and associated access road have been hydroseeded. Germination has begun and the area will be monitored for successful establishment.			
2. Informal access road along northern portion of the Site	Straw mulch or hydroseed	□Yes [Enter date] ⊠No	Erosion channels are beginning to form within upgradient portions of the informal access road (Figure 1). The contractor indicated that stabilization by smoothing out soils and seeding or spreading mulch would occur on 7/30/2021. Stabilization of this area has not been initiated. After inspection of the area on 8/24/2021, it was determined that			

nspection Date: 03/15/2022	<u>.</u>	<u>.</u>	
			temporary swales would likely alleviate the issue of channelization in this area; however, these swales will not be constructed until work resumes at the Site in the spring (pending local approval). This area will continue to be monitored; however, stabilization is not required since the area is not discharging sediment beyond the limits of work.
<ol> <li>Area beyond the limits of work at Discharge 1</li> </ol>	Hand application of seed	⊠Yes 8/24/2021 □No	The sediment deposit previously observed has been removed from beyond the limits of work and the area has been seeded. No sediment migrated within 50 feet of a "water of the US". Straw and additional seed was applied on 8/24/2021.
			On 2/2/2022 BETA verified that grass seed had been successful established. BETA will continue to monitor grass growth in the spring.
<ol> <li>Area beyond limits of work at Discharge 2</li> </ol>	Hand application of seed	☐Yes Enter Date ⊠No	

Description of Discharges (CGP Part 4.6.6)				
Was a stormwater discharge or other discharge If "yes", provide the following information fo	occurring from any part of your site at the time of the inspection? $\Box$ No $\Box$ Yes reach point of discharge:			
Discharge Location	Observations			
Discharge 1	Describe the discharge: NA At points of discharge and the channels and banks of surface waters in the immediate vicinity, are there any visible signs of erosion and/or sediment accumulation that can be attributed to your discharge? No Yes If yes, describe what you see, specify the location(s) where these conditions were found, and indicate whether modification, maintenance, or corrective action is needed to resolve the issue: NA			

### Contractor or Subcontractor Signature and Certification

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signature of Contractor or Subcontractor:

Date:

Printed Name and Affiliation:

**Operator Signature and Certification** 

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."


Signature of Operator or "Duly Authorized Representative":

Date:

Chanler Florian

03/15/2022

Printed Name and Affiliation:



## Discharge 1: ADDRESSED

## Location of channelization within machinery tracks

ZONE 3

ZONE

# ZONE 2

STUMPS TO REMAIN IN UNDEVELOPED — AREAS BETWEEN FENCE AND PROPOSED TREELINE (TYP.)

ZONE 4

PROPOSED 7'-6" HIGH CHAIN-LINK PERIMETER FENCE 6" OFF GROUND. LIMIT OF GRUBBING AND TOPSOIL REMOVAL AT FENCELINE (TYP.)

**TEMPORARY EARTHEN SWALE** (TYP.). SLOPE NOT TO EXCEED 5%

STONE CHECK DAM SPACED AT MAXIMUM 100' INTERVAL (TYP.) · RIPRAP APRON (TYP.)

TEMPORARY SEDIMENT BASIN (TYP.)

NOTES: 1. THIS SEQUENCING PLAN IS FOR CONCEPTUAL PURPOSES ONLY. THE ACTUAL SEQUENCE OF WORK IMPLEMENTED FOR THIS PROJECT MAY DEVIATE FROM THIS PLAN SO LONG AS IT MEETS THE REQUIREMENTS OF THE PROJECT SITE PLANSET, PROJECT STORMWATER MANAGEMENT REPORT, AND TOWN REGULATIONS. ADDITIONAL CONSTRUCTION ACTIVITIES MAY BE REQUIRED AT THE SITE BEYOND THOSE PRESENTED ON THIS PLAN. 2. NO GRUBBING OR TOPSOIL REMOVAL SHALL BE CONDUCTED OUTSIDE OF THE PROPOSED FENCELINE EXCEPT AS

NEEDED FOR INSTALLATION OF SITE FEATURES 3. ALL DISTURBED AREAS SHALL BE STABILIZED NO LATER THAN 14 DAYS AFTER A CONSTRUCTION ACTIVITY HAS TEMPORARILY OR PERMANENTLY CEASED ON THAT PORTION OF THE SITE. ANY DISTURBED AREA EXPOSED FOR MORE THAN SEVEN DAYS SHALL BE STABILIZED WITH PERENNIAL RYE GRASS SEEDING OR APPROVED EQUIVALENT 4. ALL EXISTING AND PROPOSED STEEP SLOPES (2:1 OR STEEPER, OR AS DIRECTED BY ENGINEER) TO BE STABILIZED


WITH JUTE MESH EROSION CONTROL MAT OR APPROVED EQUIVALENT. 5. ALL CATCH BASINS AND DRAIN INLETS WITHIN THE VICINITY OF THE PROJECT LIMITS TO BE FITTED WITH SILT SACK (OR APPROVED EQUAL) AS DIRECTED BY ENGINEER. REFER TO DETAIL ON SHEET 12.


PRELIMINARY ONLY. FINAL CONFIGURATION OF EROSION CONTROL DEVICES SHALL BE DETERMINED BY A STORMWATER POLLUTION PREVENTION PLAN (SWPPP) PREPARED PRIOR TO CONSTRUCTION 7. SEDIMENT BASINS SHALL BE DESIGNED TO MEET A STORAGE VOLUME OF 3,600 CU. FT. PER ACRE OF DISTURBANCE OR SIZED BASED ON APPROPRIATE HYDROLOGIC CALCULATIONS. BASINS MUST BE FULLY DEWATERED WITHIN 72 HOURS AFTER A STORM EVENT


8. NO WORK SHALL BE CONDUCTED WITHIN RESOURCE AREAS OR THEIR ASSOCIATED BUFFER ZONES, AND EXTREME CARE SHALL BE TAKEN TO ENSURE NO SEDIMENTATION OCCURS TO THESE AREAS. ALL STOCKPILES AND DISTURBED AREAS SHALL BE STABILIZED IF EXPOSED FOR MORE THAN 30 DAYS.

• • • • ACCESS ROAD AS DIRECTED BY

F







### Photo 5



View of the damaged silt fence in eastern portion of Site — facing south east.



View of damaged silt fence in south east portion of the Site —facing south east

PHOTOGRAPHIC DOCUMENTATION North Sturbridge Road Solar Facility Charlton, Massachusetts Photographs Documented 01.03.2022

Photo 6



View of damaged silt fence in eastern portion of the Site —facing east



View of damaged silt fence in eastern portion of the Site —facing east

PHOTOGRAPHIC DOCUMENTATION North Sturbridge Road Solar Facility Charlton, Massachusetts Photographs Documented 01.03.2022

### Photo 8

Photo 7

### Photo 9



View of damaged silt fence in eastern portion of the Site —facing east



View of damaged silt fence in north western portion of the Site ---facing north west

PHOTOGRAPHIC DOCUMENTATION North Sturbridge Road Solar Facility Charlton, Massachusetts Photographs Documented 01.03.2022

Photo 10

